AKEMI®

Tel. +49(0)911-642960

Fax. +49(0)911-644456

e-mail info@akemi.de

according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Liqui Polish Universal

· Article number: 11834, 11835

· UFI: MSD5-50FR-T00A-DQ46

1.2 Relevant identified uses of the substance or mixture and

uses advised against No further relevant information available.

· Application of the substance / the

mixture Polishing agent/ Burnishing compound

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH

Laboratory

D 90451 Nürnberg

Lechstrasse 28

· Further information obtainable

from: · 1.4 Emergency telephone

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH number:

Tel. +49(0)911-64296-59

Reachable during the following office hours: Monday – Thursday from 07:30 a.m. to 16:30 p.m.

Friday from 07:30 a.m. to 13:30 p.m.

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008 Skin Sens. 1 H317 May cause an allergic skin reaction.

· 2.2 Label elements

· Hazard pictograms

· Labelling according to Regulation

(EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.



GHS07

· Signal word Warning

· Hazard-determining components of

2-methyl-2H-isothiazol-3-one labelling:

· Hazard statements H317 May cause an allergic skin reaction.

· Precautionary statements P101 If medical advice is needed, have product container or label at hand.

Keep out of reach of children. P102

Read carefully and follow all instructions. P103 Avoid breathing mist/vapours/spray. P261

Wear protective gloves. P280

P302+P352 IF ON SKIN: Wash with plenty of water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/ P501

national/international regulations.

Contains biocidal products: 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-Additional information:

3(2H)-one

The product does not contain any organic halogen compounds (AOX), nitrates, · 2.3 Other hazards

heavy metal compounds or formaldehydes.

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.

(Contd. on page 2)



according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

Trade name: Liqui Polish Universal

(Contd. of page 1)

<1%

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: CAS: 2682-20-4

EINECS: 220-239-6

2-methyl-2H-isothiazol-3-one

Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330

Index number: 613-326-00-9 Skin Corr. 1B, H314; Eye Dam. 1, H318

Reg.nr.: 01-2120764690-50 Aquatic Acute 1, H400; Aquatic Chronic 1, H410

Skin Sens. 1A, H317; STOT SE 3, H335

Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information: Take affected persons out into the fresh air.

No special measures required.

After inhalation: Not applicable

After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

• 4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents: Not applicable

5.2 Special hazards arising from

the substance or mixture None

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Product forms slippery surface when combined with water.

• 6.2 Environmental precautions: Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal

binders, sawdust).

• 6.4 Reference to other sections No dangerous substances are released.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling No special precautions are necessary if used correctly.

· <u>Information about fire - and</u> explosion protection:

No special measures required.

(Contd. on page 3)



according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

Trade name: Liqui Polish Universal

(Contd. of page 2)

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by

storerooms and receptacles: Prevent any seepage into the ground.

· Information about storage in one

common storage facility:

Store away from foodstuffs.

· Further information about storage

conditions: None.

· Storage class: 12

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Additional information about design

of technical facilities:

No further data; see item 7.

· Ingredients with limit values that

require monitoring at the

workplace:

The product does not contain any relevant quantities of materials with critical

values that have to be monitored at the workplace.

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

· General protective and hygienic

<u>measures:</u> The usual precautionary measures are to be adhered to when handling

chemicals.

Respiratory protection:Protection of hands:Not required.Not required.

Preventive skin protection by use of skin-protecting agents is recommended.

Material of gloves
 Penetration time of glove material
 Not applicable
 Not applicable

For the permanent contact gloves

made of the following materials are

<u>suitable:</u> Not applicable <u>Eye protection:</u> Not required.

Body protection: Protective work clothing

SECTION 9: Physical and chemical properties

| • 9.1 Information on basic physical and chemical properties |
|---|
|---|

· General Information

· Appearance:

Form: Fluid

Colour: According to product specification

· Odour: Odourless

· pH-value at 20 °C: 7

· Change in condition

Melting point/freezing point: Undetermined.

Initial boiling point and boiling range: 100 °C

· Flash point: Not applicable.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

· Vapour pressure at 20 °C: 23 hPa

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

| Trade name: | Liqui Polish | Universal |
|-------------|--------------|-----------|
|-------------|--------------|-----------|

| | | (Contd. of page 3) |
|--|--|--------------------|
| · Density at 20 °C: | 1.55-1.62 g/cm³ | |
| · <u>Solubility in / Miscibility with</u> <u>water:</u> | Fully miscible. | |
| · <u>Viscosity:</u> Dynamic at 20 °C: Kinematic: | 1,100 mPas Not determined. | |
| · Solvent content: Water: | 47.5 % | |
| Solids content: | 52.3 % | |
| · 9.2 Other information | No further relevant information available. | |

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

· 10.2 Chemical stability Thermal decomposition /

<u>conditions to be avoided:</u> No decomposition if used according to specifications.

10.3 Possibility of hazardous

<u>reactions</u> No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available. No further relevant information available.

10.6 Hazardous decomposition

products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

Acute toxicity Based on available data, the classification criteria are not met.

| · LD/LC50 | values | relevant for | or classi | fication: |
|-----------|--------|--------------|-----------|-----------|
| | | | | |

2682-20-4 2-methyl-2H-isothiazol-3-one

| Oral | LD50 | 120 mg/kg (rat) |
|------------|----------|-----------------|
| Dermal | LD50 | 242 mg/kg (rat) |
| Inhalative | LC50/4 h | 0.11 mg/l (rat) |

· Primary irritant effect:

• Skin corrosion/irritation
• Serious eye damage/irritation

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

Trade name: Liqui Polish Universal

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

EC50

| · <u>Aquatic toxicity:</u> | | |
|----------------------------|---|--|
| | _ | |

2682-20-4 2-methyl-2H-isothiazol-3-one

34.6 mg/l (BES) (DIN 38412-3) EC50/48h 0.93-1.9 mg/l (daphnia magna)

ErC50/72h | 0.1 mg/l (Skeletonema costatum (Kieselalge))

EC50/16h | 2.3 mg/l (pseudomonas putida) 2.8 mg/l (BES) (DIN 38412-3) EC20/3h NOEC/21d 0.04 mg/l (daphnia magna)

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 4.77-6 mg/l (rainbow trout)

· 12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available. · 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

Do not allow product to reach ground water, water course or sewage system. · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous

for water

· 12.5 Results of PBT and vPvB assessment

Not applicable. · PBT: · vPvB Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:

· Recommendation: Empty contaminated packagings thoroughly. They may be recycled after

thorough and proper cleaning.

SECTION 14: Transport information

| · 14.1 UN-Number | |
|----------------------|------|
| ADR, ADN, IMDG, IATA | Void |

14.2 UN proper shipping name

· ADR, ADN, IMDG, IATA Void

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

· 14.6 Special precautions for user Not applicable.

(Contd. on page 6)



according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

Trade name: Liqui Polish Universal

(Contd. of page 5)

| | (Conta. or page 3) | |
|--|--|--|
| · 14.7 Transport in bulk according to Annex II of Marpol | | |
| and the IBC Code | Not applicable. | |
| · Transport/Additional information: | Not dangerous according to the above specifications. | |
| · <u>UN "Model Regulation":</u> | Void | |

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances -

ANNEX I None of the ingredients is listed.

· National regulations:

· Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS:Contact:LaboratoryElke Hake

Fon ++49 (0)911 64296-59 @mail E.Hake@akemi.de

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European

Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

· Sources REACH directive 1907/2006/EC

(Contd. on page 7)



Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.05.2021 Version number 1 Revision: 18.05.2021

Trade name: Liqui Polish Universal

(Contd. of page 6)

· * Data compared to the previous version altered.

Adaptation in accordance with REACH directive 1907/2006/EC

C P