

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name: **Pro Scrub**
- Article number: 11044
- UFI: 1JR0-U0VU-700X-264T

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- Application of the substance / the mixture Cleaning agent/ Cleaner

1.3 Details of the supplier of the safety data sheet

- Manufacturer/Supplier: AKEMI chemisch technische Spezialfabrik GmbH Tel. +49(0)911-642960
Lechstrasse 28 Fax. +49(0)911-644456
D 90451 Nürnberg e-mail info@akemi.de

- Further information obtainable from: Laboratory

1.4 Emergency telephone number:

Product Safety Department AKEMI chemisch technische Spezialfabrik GmbH
Tel. +49(0)911-64296-59
Reachable during the following office hours:
Monday – Thursday from 07:30 a.m. to 16:30 p.m.
Friday from 07:30 a.m. to 13:30 p.m.
+44 (171) 635 91 91
National Poison Inform. Centre
Medical Toxicology Unit
Avalonley Road
London SE14 5ER

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

- Classification according to Regulation (EC) No 1272/2008
Skin Sens. 1 H317 May cause an allergic skin reaction.

2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- Hazard pictograms

The product is classified and labelled according to the CLP regulation.



GHS07

- Signal word Warning

Hazard-determining components of labelling:

- Hazard statements H317 May cause an allergic skin reaction.
- Precautionary statements
 - P101 If medical advice is needed, have product container or label at hand.
 - P102 Keep out of reach of children.
 - P103 Read carefully and follow all instructions.
 - P280 Wear protective gloves.
 - P302+P352 IF ON SKIN: Wash with plenty of water.
 - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
 - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- Additional information: Contains biocidal products: reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3: 1), 2-methyl-2H-isothiazol-3-one, 1,2-benzisothiazol-3(2H)-one

2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.

(Contd. on page 2)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub· vPvB: Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients**3.2 Chemical characterisation: Mixtures**· Description: Mixture: consisting of the following components.
water· Dangerous components:

CAS: 1332-58-7 EC number: 310-127-6	Kaolin substance with a Community workplace exposure limit	<10%
CAS: 112-34-5 EINECS: 203-961-6 Index number: 603-096-00-8 Reg.nr.: 01-2119475104-44-xxxx 02-2119751533-40-0000	2-(2-butoxyethoxy)ethanol Eye Irrit. 2, H319	1-5%
CAS: 2682-20-4 EINECS: 220-239-6 Index number: 613-326-00-9 Reg.nr.: 01-2120764690-50	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330 Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410 Skin Sens. 1A, H317; STOT SE 3, H335	<1%

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

· anionic surfactants, preservation agents (BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE)

<5%

· Additional information: For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures****4.1 Description of first aid measures**

· General information: No special measures required.

· After inhalation: Supply fresh air; consult doctor in case of complaints.

· After skin contact: Generally the product does not irritate the skin.

· After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing: If symptoms persist consult doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

SECTION 5: Firefighting measures**5.1 Extinguishing media**· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.· For safety reasons unsuitable extinguishing agents: Water with full jet**5.2 Special hazards arising from the substance or mixture**Formation of toxic gases is possible during heating or in case of fire.
In case of fire, the following can be released:
Carbon monoxide (CO)
Under certain fire conditions, traces of other toxic gases cannot be excluded.**5.3 Advice for firefighters**· Protective equipment: Mount respiratory protective device.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

(Contd. of page 2)

Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Product forms slippery surface when combined with water.
- **6.2 Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous substances are released.
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles.
No special measures required.
- **Information about fire - and explosion protection:** The product is not flammable.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Store only in the original receptacle.
- **Information about storage in one common storage facility:** Store away from foodstuffs.
Store away from oxidising agents.
- **Further information about storage conditions:** Protect from frost.
- **Storage class:** 12
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical facilities:** No further data; see item 7.

- **Ingredients with limit values that require monitoring at the workplace:**

1332-58-7 KaolinWEL Long-term value: 2 mg/m³**112-34-5 2-(2-butoxyethoxy)ethanol**WEL Short-term value: 101.2 mg/m³, 15 ppm
Long-term value: 67.5 mg/m³, 10 ppm

- **DNELs**

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	DNEL (Langzeit-wiederholt)	1.25 mg/kg bw/day (BEV)
Dermal	DNEL (Langzeit-wiederholt)	20 mg/kg bw/day (ARB) 10 mg/kg bw/day (BEV)
Inhalative	DNEL (Kurzzeit-akut)	101.2 mg/m ³ Air (ARB) 7.5 mg/m ³ Air (BEV)

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

(Contd. of page 3)

	DNEL (Langzeit-wiederholt)	67.5 mg/m ³ Air (ARB) 34 mg/m ³ Air (BEV)
--	----------------------------	--

· PNECs

112-34-5 2-(2-butoxyethoxy)ethanol

PNEC (wässrig)	200 mg/l (KA) 0.1 mg/l (MW) 1 mg/l (SW) 3.9 mg/l (WAS)
PNEC (fest)	0.32 mg/kg Trockengew (BO) 0.44 mg/kg Trockengew (MWS) 4.4 mg/kg Trockengew (SWS)

· Additional information: The lists valid during the making were used as basis.· **8.2 Exposure controls**

· Personal protective equipment:
· General protective and hygienic measures:

Avoid close or long term contact with the skin.
Do not eat, drink, smoke or sniff while working.
Use skin protection cream for skin protection.
Clean skin thoroughly immediately after handling the product.
Use suitable respiratory protective device only when aerosol or mist is formed.
Use suitable respiratory protective device in case of insufficient ventilation.
Preventive skin protection by use of skin-protecting agents is recommended.
After use of gloves apply skin-cleaning agents and skin cosmetics.
Skin protection agent recommendation for preventive skin shelter in application and combination of protective gloves:
STOKO EMULSION (<http://www.stoko.com>)
Skin protection recommendation for skin cleaning after product handling:
FRAPANTOL (<http://www.stoko.com>)
Skin protection agent recommendation for skin aftercare:
STOKO VITAN (<http://www.stoko.com>)

· Respiratory protection:· Protection of hands:

The protection gloves to be used have to comply with the specifications of the directive 89/686/EC and the directive derived decree EN374, respectively, e.g. the above listed protection glove type. The mentioned permeation times' data were generated and verified with material samples of the recommended protection glove type in the scope of laboratory analyses of the company KCL GmbH in compliance with EN374.

This recommendation refers exclusively to the material safety data sheet referenced product delivered by Akemi and the indicated field of application. In case of product dilution or in case of mixture with different substances or chemicals, and in condition of EN374 deviation the producer of CE-approved protection gloves must be contacted for detailed information (e.g., KCL GmbH, Germany, 36124 Eichenzell, internet: <http://www.kcl.de>).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

(Contd. of page 4)

- Penetration time of glove material Value for the permeation: Level \leq 6, 480 min
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- As protection from splashes gloves made of the following materials are suitable: Nitrile rubber, NBR
Camatril (KCL, 730, 731, 732, 733)
Camapren (KCL, Art_No. 720, 722, 726)
- Not suitable are gloves made of the following materials: Leather gloves
Strong material gloves
- Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties**· 9.1 Information on basic physical and chemical properties**· General Information· Appearance:

Form: Fluid
Colour: Whitish

· Odour: Light· Odour threshold: Not determined.· pH-value at 20 °C: 10· Change in condition

Melting point/freezing point: Undetermined.
Initial boiling point and boiling range: 60 °C

· Flash point: Not applicable.· Flammability (solid, gas): Not applicable.· Decomposition temperature: Not determined.· Auto-ignition temperature: Product is not selfigniting.· Explosive properties: Product does not present an explosion hazard.· Explosion limits:

Lower: Not determined.
Upper: Not determined.

· Vapour pressure at 20 °C: 23 hPa· Density at 20 °C: 1.49 g/cm³· Relative density Not determined.· Vapour density Not determined.· Evaporation rate Not determined.· Solubility in / Miscibility with water:

Soluble.

· Partition coefficient: n-octanol/water: Not determined.· Viscosity:Dynamic at 20 °C: 45 mPasKinematic: Not determined.· Solvent content:Organic solvents: 1.1 %

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

(Contd. of page 5)

Water:	48.6 %
Solids content:	44.0 %
· 9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:**1332-58-7 Kaolin**

Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rat)
	LC50/48h	>1,100 mg/l (daphnia magna) (Literatur)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	2,410 mg/kg (mouse)
		>2,000 mg/kg (rat)
Dermal	LD50	2,764 mg/kg (rbt)

2682-20-4 2-methyl-2H-isothiazol-3-one

Oral	LD50	100 mg/kg (ATE)
Dermal	LD50	300 mg/kg (ATE)
Inhalative	LC50/4 h	0.5 mg/l (ATE)

- Primary irritant effect: Do not get in eyes, on skin, or on clothing.
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation May cause an allergic skin reaction.
- Additional toxicological information:
- CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

(Contd. of page 6)

SECTION 12: Ecological information**· 12.1 Toxicity****· Aquatic toxicity:****1332-58-7 Kaolin**

EC50/48h	>1 mg/l (daphnia magna) (OECD 202)
EC50/72h	>100 mg/l (Scenedesmus subspicatus) (OECD 201)
LC50/96h	>100 mg/l (Oncorhynchus mykiss) (OECD 203)

112-34-5 2-(2-butoxyethoxy)ethanol

EC50/24h	2,850 mg/l (daphnia magna) (DIN 38412)
EC50/96h	>100 mg/l (Desmodesmus subspicatus) >100 mg/l (Scenedesmus subspicatus)
EC10/16h	1,170 mg/l (pseudomonas putida)
EC5	73 mg/l (Entosiphon sulcatum)
EC50/48h	>100 mg/l (daphnia magna)
NOEC	>100 mg/kg (Desmodesmus subspicatus)
EC10	>1,995 mg/l (Klärschlamm: Atmungs-/Vermehrungshemmung)
EC50/72h	>100 mg/l (Desmodesmus subspicatus)
LC50/96h	1,300 mg/l (Iepomis macrochirus) >100 mg/l (Leuciscus idus) 1,150 mg/l (poecilia reticulata)

2682-20-4 2-methyl-2H-isothiazol-3-one

EC50	34.6 mg/l (BES) (DIN 38412-3)
EC50/48h	1.6 mg/l (daphnia magna)
EC50/16h	2.3 mg/l (pseudomonas putida)
EC20/3h	2.8 mg/l (BES) (DIN 38412-3)
EC50/72h	0.157 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	6 mg/l (rainbow trout)

· 12.2 Persistence and degradability

No further relevant information available.

· 12.3 Bioaccumulative potential

No further relevant information available.

· 12.4 Mobility in soil

No further relevant information available.

· Additional ecological information:**· General notes:**

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

· 12.5 Results of PBT and vPvB assessment**· PBT:** Not applicable.**· vPvB:** Not applicable.**· 12.6 Other adverse effects**

No further relevant information available.

SECTION 13: Disposal considerations**· 13.1 Waste treatment methods****· Recommendation**

Smaller quantities can be disposed of with household waste.

· Uncleaned packaging:**· Recommendation:**

Packaging may be reused or recycled after cleaning.

(Contd. on page 8)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

Disposal must be made according to official regulations.

(Contd. of page 7)

SECTION 14: Transport information

· 14.1 UN-Number · <u>ADR, IMDG, IATA</u>	Void
· 14.2 UN proper shipping name · <u>ADR, ADN, IMDG, IATA</u>	Void
· 14.3 Transport hazard class(es) · <u>ADR, ADN, IMDG, IATA</u> · <u>Class</u>	Void
· 14.4 Packing group · <u>ADR, IMDG, IATA</u>	Void
· 14.5 Environmental hazards: · <u>Marine pollutant:</u>	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· <u>Transport/Additional information:</u>	Not dangerous according to the above specifications.
· <u>UN "Model Regulation":</u>	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture	
· <u>Directive 2012/18/EU</u>	
· <u>Named dangerous substances - ANNEX I</u>	None of the ingredients is listed.
· <u>National regulations:</u>	
· <u>Information about limitation of use:</u>	Employment restrictions concerning juveniles must be observed.
· <u>Waterhazard class:</u>	Water hazard class 1 (Self-assessment): slightly hazardous for water.
· <u>VOC EU</u>	59.1 g/l
· 15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· <u>Relevant phrases</u>	H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.
· <u>Department issuing SDS:</u>	Laboratory

(Contd. on page 9)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 08.02.2021

Version number 4

Revision: 08.02.2021

Trade name: Pro Scrub

(Contd. of page 8)

· Contact:

Elke Hake
Fon ++49 (0)911 64296-59
@mail E.Hake@akemi.de

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 3: Acute toxicity – Category 3
Acute Tox. 2: Acute toxicity – Category 2
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1A: Skin sensitisation – Category 1A
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

GB